

3

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



Applicant : WENG
 Application No. : 10/051,160
 Filed : January 22, 2002
 Title : DIGITAL INFORMATION GUIDE READING SYSTEM AND METHOD
 Group Art Unit : 2171
 Examiner : Unassigned
 Attorney Docket : BHT/3167-38

OFFICE OF INITIAL PATENT EXAMINATION

Honorable Commissioner for Patents
 Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS


Sir:

Responsive to the NOTICE TO FILE CORRECTED APPLICATION PAPERS - FILING DATE GRANTED of February 13, 2002 (Part 2 copy attached), Applicant submits herewith a Substitute Specification, containing proper line spacing. No new matter has been added to the original disclosure by the Substitute Specification.

Respectfully submitted,

Date: March 28, 2002

By:


 Bruce H. Troxell
 Reg. No. 26,592

TROXELL LAW OFFICE PLLC
 5205 Leesburg Pike, Suite 1404
 Falls Church, Virginia 22041
 Telephone: (703) 575-2711
 Telefax: (703) 575-2707



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/051,160	01/22/2002	Jen-Hwang Weng	BHT-3167-38

BRUCE H. TROXELL
SUITE 1404
5205 LEESBURG PIKE
FALLS CHURCH, VA 22041



CONFIRMATION NO. 7929

FORMALITIES LETTER



OC000000007469548

Date Mailed: 02/13/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
 - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).

*A copy of this notice **MUST** be returned with the reply.*


Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE